

	Application No.	Applicant(s)	
Alada a RAHawah Wa	09/627,566	GOODWIN ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Vy Q. Bui	3731	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due course. THIS	
1. This communication is responsive to 3/23/04.			
2. The allowed claim(s) is/are <u>1-4,6-9 and 11-14</u> .			
3. The drawings filed on are accepted by the Examine	r.		
 4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	be been received. be been received in Application No		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply MENT of this application.	complying with the requirements	
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) ⊠ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) ⊠ hereto or 2) ☐ to Paper No./Mail Date			
(b) including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the C	Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawing the header according to 37 CFR 1.121(c)	ngs in the front (not the back) of d).	
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	SIT OF BIOLOGICAL MATERIAL T FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. Note the AL MATERIAL.	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. □ Notice of Informal P	ratent Application (PTO-152)	
2. ☑ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary		
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Date	Paper No./Mail Date 7.	
Paper No./Mail Date 4.	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance	
		Vy Q. Bui Primary Examiner Art Unit: 3731	

DETAILED ACTION

EXAMINER'S AMENDMENT

1. The following is an examiner's statement of reasons for allowance: the prior art reference has failed to disclose or suggest a stent-graft combination having an inner or outer graft/cover with an average internodal distance (IND) of greater 100 microns and which stent-graft combination has a deployment pressure less than 10 atmospheres.

Claims 1-4, 6-9 and 11-14 are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. The drawings filed on 07/28/2000 are acceptable subject to correction of the informalities indicated on the attached "Notice of Draftsperson's Patent Drawing Review," PTO-948. In order to avoid abandonment of this application, correction is required in reply to the Office action. The correction will not be held in abeyance.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vy Q. Bui whose telephone number is 703-306-3420. The examiner can normally be reached on Monday-Thursday.

Application/Control Number: 09/627,566 Page 3

Art Unit: 3731

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, McDermott or Shaver can be reached on 703-308-0858. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Vy Q. Bui Primary Examiner

Art Unit 3731